

GWL Group a.s.

Průmyslová 11/1472, Praha 10, 10219

Page: 1 (FRJ)

28.08.2024 14:14

Stav skladu ke dni

Filtr: Sklad = ECL EC-LOGISTICS,HSK Hlavní sklad; Typy Skladu = Všechny; Ke dni = 28.08.2024; Výrobci = NULL; Dodavatel = NULL; Středisko = NULL; Produkt = ; Manager = NULL; Typ položky = Zboží; Status produktu = NULL; DPH položky = NULL; Zahrnout i nepotvrzené dodací listy = Ne; Dodavatel = ; Seznam dodavatelů = NULL; Seznam produktů = NULL

Volby: Interval5 = 360; Příjmy od = 0; Příjmy do = 30; Třídění = Kód; Grupování = Produkt; S rozpadem na manažera = Ne; Použit intervaly pro stáří skl. = Ne; Zobrazovat nulové řádky = Ne; Max. délka názvu produktu = Nezkracovat; Exportovat rozšířené údaje (při grupování=Produkt) = Ne; Rozšířené údaje-Kategorie1 = NULL; Rozšířené údaje-Kategorie2 = NULL; Zdroj typu Položky (Produktu) = (Aktuální) nastavení u Produktu;

Detail-příjemky:(při průměrných cenách) = Agregovaně (jen nenulové zůstatky ks)

Kód	Název	Výr.	Man.Počet	Cena	Základ
AMV-C2T-400-24	Hall Current Sensor, 400A, 24V	AMV	MIM 10	268.05	2 680.50
AMV-C3T-1000-24	Hall Current Sensor, 1000A, 24V	AMV	MIM 10	708.58	7 085.80
AMV-CEMVIN-BOARD	CEMVIN board 220 mm x 165 mm x 5 mm	AMV	MIM 231	20.43	4 719.33
AMV-CEMVIN-BOARD-1	CEMVIN board 174 mm x 127 mm x 6 mm	AMV	MIM 7	18.89	132.23
AMV-GWL/M-CPM-COV	GWL/MODULAR Modular Cpm Cover 180x100x2mm	AMV	BAD 17	22.00	374.00
AMV-M12x20	Set of Bolts M12x20 long and Washers for Lithium Cells (10 pack)	GWLMIM 41		85.04	3 486.64
AMV-RBP1-MINI PC 4B	Raspberry Pi - Mini PC 4b	AMV	BAD 2	2 313.22	4 626.44
AMV-TRITON-ROLLER	Roller castors RAX-MS-X81-X1	AMV	MIM 2	1 165.53	2 331.06
AMV-TRITON-SHELF-650	Shelf with perforations 19", 1U/650mm, load capacity 150kg, grey	AMV	MIM 2	916.32	1 832.64
BMS123SM-EM	123ELECTRIC BMS123 Smart - Extended Module	123e	MIM 2	4 840.25	9 680.50
BMS123SM-G3-BEGIN	123ELECTRIC BMS123 Smart Gen3 - BEGIN Single Cell Module	123e	MIM 1	1 559.66	1 559.66
BMS123SM-G3-DS500	123ELECTRIC BMS123 Smart Gen3 - Current Sensor 500A	123e	MIM 1	743.66	743.66
BMS-EASY	BMS Easy - Single Cell Module for LiFePO4 cells protection	GWLMIM 91		450.00	40 950.00
BMS-EASY-PT1000	BMS EASY temperature sensor	GWLMIM 42		118.52	4 977.84
BMS-EASY-T	BMS Easy - Module for LiFePO4 cells temperature protection	GWLMIM 42		450.00	18 900.00
CBM1-S	GWL/POWER Cell Balancing Module (3.60V- 1.7A), Screws + Cables	GWLP MIM 1 452		41.91	60 853.32
CGS-COM-EXT-CABLE	CEGASA Communication Extension Cable For eBick Ultra 175	CGS	BAD 2	378.30	756.60
CGS-TCC-CAN	CEGASA TCCv2.0 BTH SYSTEM	CGS	BAD 1	8 145.98	8 145.98
COV-1-BLK	GWL/POWER Terminal Cover For Cells - Size 1 - Black	GWLP MIM 3 446		11.17	38 491.82
COV-1-RED	GWL/POWER Terminal Cover For Cells - Size 1 - Red	GWLP MIM 3 389		11.17	37 855.13
COV-3-BLK	GWL/POWER Terminal Cover For Cells - Size 3 - Black	GWLP MIM 332		10.79	3 582.28
COV-3-RED	GWL/POWER Terminal Cover For Cells - Size 3 - Red	GWLP MIM 307		14.05	4 313.35
COV-4-BLK	GWL/POWER Terminal Cover For Cells - Size 4 - Black	GWLP MIM 86		7.15	614.90
ENG-AL-SET	Retractable aluminium set 20x80 mm, AL profiles	AMV	MIM 3	2 090.64	6 271.92
EVH750A-24S	Hermetic sealed DC Contactor 12-1500VDC, 750A	GWLMIM 2		4 895.88	9 791.76
EVR250A-24S	Magnetic Latching Contactor 24V, 250A	GWLMIM 5		1 113.78	5 568.90
EVSE-SC-1	EVSE Mounting Box Scame	EVSE	MIM 1	458.23	458.23
EX-HO-L110-DIN	ELERIX Auxiliary Din Rail	EX	BAD 9	53.19	478.71
EX-HO-L110-SIDE	ELERIX Auxiliary Side Rail	EX	BAD 11	32.01	352.11
EX-L12V12	ELERIX Lithium Battery LiFePO4 12V 12Ah - Pack XT60	EX	BAD 62	355.92	22 067.04
EX-L12V18	ELERIX Lithium Battery LiFePO4 12V 18Ah - Pack XT60	EX	BAD 531	535.96	284 594.76
EX-L12V24	ELERIX Lithium Battery LiFePO4 12V 24Ah - Pack XT60	EX	BAD 215	724.02	155 664.30
EX-L12V6	ELERIX Lithium Battery LiFePO4 12V 6Ah - Pack XT60	EX	BAD 294	180.29	53 005.26
EXS-415MHC-B	ELERIX Solar panel Mono Half Cut 415Wp 108 cells, (ESM-415) Black	EX	KUB 0	265.80	265.80
EX-S5-CAN-V	ELERIX EX-S5 CAN Patch Cable for Victron Cerbo GX	EX	BAD 174	19.33	3 363.42
EX-T30K	ELERIX Lithium Titanate Oxide Cell LTO Prismatic 2.3V 30Ah - 6C	EX	BAD 1	529.40	529.40
FOX-INV-H1-5.0-E	FoxESS H1-5.0-E Single-phase Hybrid/AC inverter 5 kW, DC 6,5 kW	FOX	BAD 1	11 843.74	11 843.74
FOX-INV-H3-10.0-E	FoxESS H3-10.0-E 3-phase Hybrid/AC inverter 10 kW, DC 13 kW	FOX	BAD 3	39 222.85	196 114.25
FOX-INV-T10	FoxESS T10-G3 3-phase inverter AC 10kW, DC 15kW, 2x MPPT	FOX	BAD 1	5 830.00	5 830.00
FOX-INV-T5	FoxESS T5-G3 3-phase inverter AC 5kW, DC 7,5kW, 2x MPPT	FOX	BAD 1	6 141.66	6 141.66
FOX-Power-Metter-1	FoxESS Energy Metter DDSU666 - 1-phase	FOX	BAD 1	1 636.23	1 636.23
GWL-M-5P-MG	5 Pin Magnetic Connector (Set)	GWLMIM 35		146.89	5 141.15
GWL/M-BC16	GWL/MODULAR LiFePO4 Battery Monitor/Energy Meter + Shunt 350A, 8V-120V	GWLMIM 4		1 535.98	6 143.92
GWL/M-BC21	GWL/MODULAR Battery Capacity and Energy Meter with 350A shunt	GWLMIM 29		935.43	27 127.47
GWL/M-Box	GWL/MODULAR Packing Box Complet	GWLMIM 81		23.00	1 863.00
GWL/M-Break-2A	GWL/MODULAR Circuit Breaker 2A	GWLMIM 8		63.34	506.72
GWL/M-C5D	GWL/MODULAR Balancing Cable - 5 Pin - JST XM DUAL	GWLMIM 17		48.12	818.04
GWL/M-C5w	Balancing Cable - 5 Pin With JST XM Connector	GWLMIM 68		9.53	648.04
GWL/M-Cab-Sleeve	GWL/MODULAR Cable Sleeve	GWLMIM 350		9.69	3 391.50
GWL/M-CBM4S-HLD	GWL/POWER Holder for Balancing Board For 1-4 Cells LFP (1.2 Amp)	GWLP MIM 89		5.69	506.41
GWL/M-Clamp-2.5A-B	GWL/MODULAR Terminal Modular Block 2.5 mm2, Blue	GWLMIM 8		11.58	92.64
GWL/M-Clamp-2.5A-R	GWL/MODULAR Modular Terminal Block 2.5 mm2, Red	GWLMIM 8		9.14	73.12
GWL/M-Clamp-35A-W	GWL/MODULAR Modular Terminal Block 35 mm2, White	GWLMIM 20		35.59	711.80
GWL/M-Clamp-END-B	GWL/MODULAR Terminal Block End, Black	GWLMIM 108		6.63	716.04
GWL/M-Con-6-F	GWL/MODULAR Cable Connector 6 Pin Female	GWLMIM 25		7.48	187.00

GWL/M-Con-6-M	GWL/MODULAR Cable Connector 6 Pin Male	GWLMMIM 25	7.39	184.75
GWL/M-Con-8-F	GWL/MODULAR Cable Connector 8 Pin Female	GWLMMIM 31	8.86	274.66
GWL/M-Con-8-M	GWL/MODULAR Cable Connector 8 Pin Male	GWLMMIM 31	9.29	287.99
GWL/M-Contactor-20A	GWL/MODULAR Contactor AC 230V, 20A	GWLMMIM 3	175.88	527.64
GWL/M-Contactor-25A	GWL/MODULAR Contactor AC 230V, 25A	GWLMMIM 2	447.05	894.10
GWL/M-CPM-SIDE	GWL/MODULAR Modular CPM Side	GWLMMIM 10	37.78	377.80
GWL/M-CPM-SLAT	GWL/MODULAR Modular Cpm Slat (17,3Cm)	GWLMMIM 22	122.75	2 700.50
GWL/M-CY075B	GWL/MODULAR Solid Cable CY H05V-U 0.75mm2, Black	GWLMMIM 21	3.57	74.97
GWL/M-DI5020	GWL/MODULAR Crimp Socket With Insulation 50-20, Green	GWLMMIM 37	5.23	193.51
GWL/M-DID07508-1	GWL/MODULAR Double Crimp Socket With Insulation 0,75-8, White	GWLMMIM 496	0.68	337.28
GWL/M-DIN-Rail-05	GWL/MODULAR DIN Rail 35X 7.5 Perforated, Hole 5.2mm (Lenght 0,5m)	GWLMMIM 63	23.76	1 496.88
GWL/M-E5010	GWL/MODULAR Screw-In Cable Eyelet (50/10)	GWLMMIM 23	92.20	2 120.60

1 001 623,00

I6 (c) 2024 CyberSoft, s.r.o. (FRJ)

GWL Group a.s.

Průmyslová 11/1472, Praha 10, 10219

Page: 2 (FRJ)

28.08.2024 14:14

Stav skladu ke dni

Filtr: Sklad = ECL EC-LOGISTICS,HSK Hlavní sklad; Typy Skladu = Všechny; Ke dni = 28.08.2024; Výrobci = NULL; Dodavatel = NULL; Středisko = NULL; Produkt = ; Manager = NULL; Typ položky = Zboží; Status produktu = NULL; DPH položky = NULL; Zahrnout i nepotvrzené dodací listy = Ne; Dodavatel = ; Seznam dodavatelů = NULL; Seznam produktů = NULL

Volby: Interval5 = 360; Příjmy od = 0; Příjmy do = 30; Třídění = Kód; Grupování = Produkt; S rozpadem na manažera = Ne; Použit intervaly pro stáří skl. = Ne; Zobrazovat nulové řádky = Ne; Max. délka názvu produktu = Nezkracovat; Exportovat rozšířené údaje (při grupování=Produkt) = Ne; Rozšířené údaje-Kategorie1 = NULL; Rozšířené údaje-Kategorie2 = NULL; Zdroj typu Položky (Produktu) = (Aktuální) nastavení u Produktu;

Detail-příjemky:(při průměrných cenách) = Agregovaně (jen nenulové zůstatky ks)

Kód	Název	Výr. Man.	Poče	Cena	Základ
GWL/M-End-Sleeve	GWL/MODULAR Cable End Sleeve	GWLMMIM 2 300	0.72	1 656.00	
GWL/M-JSTXH-5	5 connector extension board	GWLMMIM 57	44.81	2 554.17	
GWL/Modular-BCC	GWL/MODULAR Battery Communicator and Controller for CPM	GWLMBAD 3	759.53	2 278.59	
GWL/M-Rel-12V8A	GWL/MODULAR Relay 12V/8A	GWLMMIM 5	61.39	306.95	
GWL/M-Rel-24V8A	GWL/MODULAR Relay 24V/8A	GWLMMIM 5	54.38	271.90	
GWL/M-Rel-48V8A	Relay 48V/8A	GWLMMIM 22	106.29	2 338.38	
GWL/M-Relay-16A	GWL/MODULAR Time relay AC/DC 12-240V, 16A	GWLMMIM 2	670.60	1 341.20	
GWL/M-Release-60V	GWL/MODULAR Trigger Switching 60V (Breaker)	GWLMMIM 16	503.91	8 062.56	
GWL/M-Siemens-LOGO	SIEMENS LOGO programmable automatic machine (6ED1052-1MD08-0BA1)	GWLMMIM 12	1 444.45	17 333.40	
GWL/M-XT60M	GWL/MODULAR Connector XT-60 (Male)	GWLMMIM 12	4.24	50.88	
GWL-M10-N	Set of Nuts M10x1.25 And Washers for Lithium Cell (10 pack)	EX BAD 1	45.67	45.67	
INV-AC-M-CAP	GWL/POWER Micro Inverter IP67 male end cap	GWLP MIM 2	14.36	28.72	
INV-DCU	GWL/POWER Communication device to Microinverter	GWLP MIM 1	3 348.63	3 348.63	
ISDT-Q8	ISDT Pocket charger, 20A, 500W	ISDT MIM 1	965.27	965.27	
ISDT-SP2425	ISDT Dual USB charger, output 24V, 600W	ISDT MIM 15	1 031.71	15 475.65	
LTO-40CY-HLD	YINLONG Holder For Lithium Titanate Battery Cell 2.3V 40Ah (2Pcs Packing)	YL MIM 4 331	18.91	81 899.21	
MANUAL LFP	User manual for LiFePO4 cells and batteries	CP MIM 4	15 173.64	60 694.56	
MANUAL_LFP_CZE	User manual for LiFePO4 cells and batteries	CP MIM 494	3.37	1 664.78	
MC4-TOOL	GWL/TOOLS Spanner For Install MC4 Connectors	GWLMMIM 206	47.31	9 745.86	
MW-DDR-30L-24	MEANWELL DIN Rail Type DC-DC Converter, 24V, 1,25A, 30W	MW MIM 8	518.00	4 144.00	
MW-DDR-30L-5	MEANWELL DIN Rail Type DC-DC Converter, 5V, 0-6A, 30W	MW MIM 9	537.16	4 834.44	
MW-DRP-02	MEANWELL DIN rail holder (clip)	MW MIM 2	22.90	45.80	
MW-HEP-600C-12	MEANWELL Battery Charger LFP 600W - 12V/35A (Max 11.5-15.1V)	MW MIM 6	3 681.29	22 087.74	
MW-LRS-100-15	MEANWELL pulse power supply, 15.0V, 7A, 100W	MW MIM 4	379.58	1 518.32	
MW-LRS-35-15	MEANWELL Pulse Power Supply, 15.0V 2.4A, 36W	MW MIM 1	205.64	205.64	
MW-NPB-120-24TB-used	MEANWELL Battery Charger LFP 120W - 24V/4A (used)	MW MIM 1	1 048.99	1 048.99	
MW-NPB-750-12	MEANWELL Battery Charger LFP 750W - 12V/43A (Max 14.4V)	MW MIM 4	3 352.80	13 411.20	
MW-PB-1000-24	MEANWELL Battery Charger LFP 1000W - 24V/34A (Max 28.8V)	MW MIM 3	4 601.82	13 805.46	
MW-RS-15-15	MEANWELL pulse power supply, 15.0V 0-1A, 15W	MW MIM 5	185.70	928.50	
MW-RS-15-3	MEANWELL pulse power supply, 3.3V 0-3A, 10W	MW MIM 5	187.59	937.95	
MW-SD-25C-24	MEANWELL DC/DC inverter 24V/1.1A (26W)	MW MIM 2	495.02	990.04	
OEM-LFP-32700	OEM-LFP-32700 3.2V6Ah	GWLP BAD 36	29.91	1 076.76	
OLF-WIFI	Olife WIFI communication module	OLF MIM 2	2 183.15	4 366.30	
REC-GWZ007	REC Active BMS 4S	REC MIM 1	5 263.43	5 263.43	
REC-GWZ010	Cable CAN (DB9 to RJ45), length 3m	REC MIM 8	342.09	2 736.72	
REC-GWZ012	Power relay Tyco - 9-36V	REC MIM 11	2 075.36	22 828.96	
REC-GWZ023	CAN termination plug	REC MIM 4	102.70	410.80	
REC-GWZ024	Precharge resistor (2-11s delay @ 11-68V)	REC MIM 1	644.45	644.45	
REC-GWZ025	REC WiFi module for REC BMS	REC MIM 5	2 481.67	12 408.35	
REC-GWZ027-BPS	REC BMS Master Unit 9M + accessories	REC POA 1	5 959.20	5 959.20	

REC-GWZ028-2Q-BPS	REC BMS Slave Unit (16S)+ accessories	REC POA 4	7 399.34	29 597.36
REC-GWZ028-used	REC BMS Slave Unit (16s)+ accessories	REC MIM 42	6 230.88	261 696.96
SC4-1M-2C	GWL/POWER Dual Core Solar Cable 1500V/25A, 1M (2X4mm ²)	GWLP MIM 1 587	39.74	63 067.38
SCKD-FLEX	GWL/POWER Aluminum Adjustable End Holder	GWLP MIM 1 460	22.11	32 280.60
SNM-PVC-HLD	SUNMAN flexi panels support, 1 PVC prism, 3 m length	SNM MIM 85	126.32	10 737.20
SNM-SEAL-IT-380-600	SUNMAN Seal-it-380 FOIL BOND, professional assembly adhesive 600 ml	SNM MIM 17	415.31	7 060.27
SNM-SEAL-MS-8201-600	SUNMAN Industrial Adhesive MS-8201, 600 ml	SNM MIM 20	314.20	6 284.00
SNM-VERSABOND-310	Versabond adhesive 310 ml	GWLMIM 33	346.58	11 437.14
TE-K1K-1000A	Kilovac K1K High-Voltage Contactor 24-32VDC, 1000A	AMV POA 2	18 021.73	36 043.46
VE-TRANS-100-1	VICTRON Current Transformer 100A:50mA for MultiPlus-II (1 m)	VE MIM 1	704.37	704.37
YL-LTO-45-AH-B	YINLONG LTO 2.3V 45Ah Cylindrical Lithium Titanate Oxid Battery Cell, B-Grade	YL MIM 5	712.27	3 561.35
ZJK250	GWL/POWER DC Switch ZJK250 - 250A, 48V	GWLPMIM 6	88.21	529.26
				792 714,42

Celkem **1 794 337,42 Kč**